

# PRODUCT DATA SHEET

Controlled Document - Engineering Drive

1530 Shields Drive Waukegan, IL 60085

# Coleman Cable, Inc.

**PART NUMBER:** 92009-xx-08

**DESCRIPTION:** RG-59/U COAXIAL CABLE WITH 65% ALUMINUM BRAID

RATING: UL DUAL LISTED AS CL2 AND CATV

#### **Construction Parameters:**


		Wall (in)*	OD (in)*
Conductors:	22 AWG (1/.025) Copper Clad Steel		0.025
Dielectric:	Foam Polyethylene color natural	0.061	0.146
Shielding:	Fusible Aluminum/Polyester/Aluminum Tape plus 65% Aluminum Braid		0.182
Jacket:	PVC	0.030	0.242

## **Electrical Properties:**

#### Cable Cross-section:

(NOT TO SCALE)

		VALUE
Conductor Resistance (o	69	
Impedance (ohms):	75	
Capacitance (pF/ft):	17	
Velocity of Propagation (	80	
Attenuation (db/100 ft):	50 MHz	2.0
	100 MHz	2.9
	200 MHz	4.1
	400 MHz	5.9
	700 MHz	7.8
	1000 MHz	99



## Miscellaneous Information:

Jacket Color: Black

Jacket Print (White):COLEMAN CABLE 92009 RG59 22 AWG CCS DUAL SHIELD 60%(Sequentially footprinted)AL BRAID (ETL) 3020454 CM OR CL2 OR CATV 75C SUN RES

Flame Rating: UL 1581 Vertical Tray Flame Test

Max. Operating Temperature: 75° C

Applicable NEC Article: 725, 800 AND 820

Approximate Weight (lb/1000 ft): 23

This product complies with European Directive 2002/95/EC (RoHS)

On special orders the customer will accept all factory lengths and  $\pm$  10% of total order requested.

The information presented here is, to the best of our knowledge, true and accurate. Since conditions of use are beyond Coleman Cable's control, all product data presented is for informational purposes only and does not create a binding obligation or liability on Coleman Cable or confer any rights on any customer. The sale of product (s) is conditioned upon acceptance of a purchase order subject to Coleman Cable's standard terms and conditions contained therein, including without limitation Coleman Cable's standard warranty. Coleman cable disclaims all liability in connection with the use of information contained herein or otherwise

Company Name:		
Customer Approval:	Date:	

Issued: 09/21/06



800-423-2594 www.multicominc.com multicom@multicominc.com

\* = Nominal value By: PEP