

# PRODUCT DATA SHEET

Controlled Document - Engineering Drive

1530 Shields Drive Waukegan, IL 60085

# Coleman Cable, Inc.

PART NUMBER: 920414

**DESCRIPTION:** RG-6 QUAD SHIELDED COAXIAL CABLE WITH TWO FOILS PLUS 40%

AND 60% ALUMINUM BRAIDS FOR HIGH DEFINITION TELEVISION

**APPLICATIONS** 

RATING: ETL DUAL LISTED AS CM/CL2 AND CATV

**VALUE\*** 

#### Construction Parameters:


			<u>Wall (in)*</u>	<u>OD (in)*</u>
Con	nductors:	18 AWG (1/.040) Solid Bare Copper		0.040
Diel	ectric:	Foam Polyethylene color natural	0.070	0.180
Shie	elding 1 & 2:	100% Bonded Polyester/Aluminum Tape plus 40% Aluminum Braid		
				0.216
Shie	elding 3 & 4:	100% Polyester/Aluminum Tape plus 60% Aluminum Braid		0.249
Jac	ket:	PVC	0.029	0.295

### **Electrical Properties:**

## Cable Cross-section:

(NOT TO SCALE)

Impedance (ohms):	75	
Capacitance (pF/ft):	17	
Velocity of Propagation (	81	
Attenuation (db/100 ft):	10 MHz	0.9
,	50 MHz	1.46
	100 MHz	1.85
	200 MHz	2.70
	400 MHz	3.90
	700 MHz	5.30
	1000 MHz	6.50
	1500 MHz	8.50
	2000 MHz	9.45
	2500 MHz	10.50
	3000 MHz	11 40



#### Miscellaneous Information:

Jacket Color: Black or White or Gray

Jacket Print (Aqua/Blue): COLEMAN CABLE 920414 RG6 18 AWG BC QUAD SHIELD 40/60% AL BRAID (ETL)

(Sequentially footprinted) 3020454 CM OR CL2 OR CATV 75C SUN RES SWEPT TO 3.0 GHZ

Applicable NEC Article: 725, 800 & 820

Flame Rating: UL-1581 Vertical Tray Flame Test

Maximum Operating Temperature: 75° C Approximate Weight (lb/1000 ft): 33

This product complies with European Directive 2002/95/EC (RoHS)

The information presented here is, to the best of our knowledge, true and accurate. Since conditions of use are beyond Coleman Cable's control, all product data presented is for informational purposes only and does not create a binding obligation or liability on Coleman Cable or confer any rights on any customer. The sale of product (s) is conditioned upon acceptance of a purchase order subject to Coleman Cable's standard terms and conditions contained therein, including without limitation Coleman Cable's standard warranty. Coleman cable disclaims all liability in connection with the use of information contained herein or otherwise.

Company Name:		
Customer Approval:	Date:	

Issued: 09/20/06



\* = Nominal value By: RBC