



# High Speed HDMI 1.4 Cable Ver. A

Multicom's High Speed HDMI 1.4 Cable with Ethernet provides a reliable, high quality connection between audio and video components. This HDMI cable consistently delivers excellent picture and sound quality for today's discriminating A/V enthusiasts.




## Features:

- Supports full-resolution 4K, Adobe RGB Color, Deep Color, 3D, sYCC601 Color, and Adobe YCC601 to accurately display natural, vivid colors
- Supports Dolby Digital, DTS, Dolby True HD, DTS-HD MasterAudio, Audio Return Channel and Lip Sync to deliver the highest quality and duplication of sound
- Compatible with the lossless compressed digital audio formats

Parameter	Specification
Standard Reference	v1.4 High Speed HDMI with 100Mbps Ethernet Channel
Video Resolution	4K, Full 1080p, 1440p, 1600p, 2160p
Compatibility	3D, 4K, ARC return audio channel
Audio Format	Sound Environment 7.1 and lossless audio formats (DTS-HD & Dolby Digital TrueHD)
Bandwidth	13.8 Gbps (Data transfer)
Cable Conductors	30AWG, Solid Bare Copper, High Quality 99.99% Oxygen Free
Conductor Resistance	5 Ohm Max.
Contact Resistance	2 Ohm Max.
Connector	19+1 - HDMI Male A to HDMI Male A, Plus 1 Ethernet Channel Black PVC Outer Shell with metal exterior and zinc alloy interior, gold color
Insulation Resistance	10M Ohm Min.
Table Speed	120Hz
Depth of Color	12 Bit
Impedence	100 Ohm ±10
Rated Voltage	30V
Hi-Pot	DC 300V 0.01 Sec.
Cable Wrapping	Outer shell: 45P, Black PVC, 6.0mm OD Inner shell: Aluminum for protection against External Electrical Interference (EMI) and Radio Frequency Interference (RFI) Ferrite Filter ends for triple density protection against interference
Cable Length	1.8M (5.9 Feet) ±40mm, Available in custom lengths
Operating Temperature	-25 to 80°C (-13 to 176°F)
Compliance	RoHS, UL, FCC, ISO9001:2008, ISO14001:2004, Simplay 2.0, ATC:1.4

## MUL-HDMI 1.4-1.5M-MA-MA-HS-30SC-A



HDMI is a trademark of HDMI Licensing LLC.  
in the U.S. and other countries

[www.multicominc.com](http://www.multicominc.com)

Ph: 407-331-7779  
800-423-2594  
[multicom@multicominc.com](mailto:multicom@multicominc.com)