



www.multicominc.com
800-423-2594

Call Multicom for IMSA Cable, Composite Camera Cable, Fiber Optic Cable, Pole Line Hardware, Pull Boxes, Bondo Sealant - and so much more!

WHY MULTICOM FOR TRAFFIC PRODUCTS?

- **Best Prices from the Top Names in the Industry**
- **Expert staff with more than 50 years experience**
- **Cable cut to custom lengths - Free**
- **Same Day Shipping •13,000 Products in Stock**

PE INSULATED SIGNAL CABLE (NOT TWISTED PAIR)

| Jacket | Spec# | Voltage Rating | Design Features |
|------------------------|-------|----------------|---|
| PVC Polyvinyl Chloride | 19-1 | 600 | Aerial (Lashed) & Duct |
| | 19-3 | 600 | Integrated 1/4" Messenger (Figure 8), copper shielded |
| | 19-5 | 600 | PE inner jacket, direct burial |
| PE Polyethylene | 20-1 | 600 | Aerial (Lashed) & Duct |
| | 20-3 | 600 | Integrated 1/4" Messenger (Figure 8), copper shielded |
| | 20-5 | 600 | PE inner jacket, direct burial |

TWISTED PAIR, PE INSULATED SIGNAL/ COMMUNICATION CABLE WITH COPPER SHIELD

| Jacket | Spec# | Voltage Rating | Design Features |
|------------------------|-------|----------------|--------------------------------|
| PVC Polyvinyl Chloride | 19-2 | 600 | Aerial (Lashed) & Duct |
| | 39-2 | 300 | Aerial (Lashed) & Duct |
| | 19-4 | 600 | Int. 1/4" Messenger (Figure 8) |
| | 39-4 | 300 | Int. 1/4" Messenger (Figure 8) |
| | 19-6 | 600 | PE inner jacket, direct burial |
| | 39-6 | 300 | PE inner jacket, direct burial |
| PE Polyethylene | 20-2 | 600 | Aerial (Lashed) & Duct |
| | 40-2 | 300 | Aerial (Lashed) & Duct |
| | 20-4 | 600 | Int. 1/4" Messenger (Figure 8) |
| | 40-4 | 300 | Int. 1/4" Messenger (Figure 8) |
| | 20-6 | 600 | PE inner jacket, direct burial |
| | 40-6 | 300 | PE inner jacket, direct burial |

FILLED, TWISTED PAIR, PE INSULATED SIGNAL/ COMMUNICATION CABLE W/COPPER SHIELD

| Jacket | Spec# | Voltage Rating | Design Features |
|------------------------|-------|----------------|--------------------------------|
| PVC Polyvinyl Chloride | 59-2 | 300 | Aerial (Lashed) & Duct |
| | 59-4 | 300 | Int. 1/4" Messenger (Figure 8) |
| | 59-6 | 300 | PE inner jacket, direct burial |
| PE Polyethylene | 60-2 | 300 | Aerial (Lashed) & Duct |
| | 60-4 | 300 | Int. 1/4" Messenger (Figure 8) |
| | 60-6 | 300 | PE inner jacket, direct burial |

Everything in the Intersection and More...

0 in
1
2
3
4
5
6
7
8

0 cm
1
2
3
4
5
6
7
8

CMYK



Your Traffic Control and Cable Experts

www.multicominc.com
800-423-2594

TRAFFIC DETECTOR CABLE & WIRE

| Insulation | Type | Spec# | Voltage Rating | Design Features |
|------------|-----------------------------|----------------------|-------------------|---|
| PE | Loop Detector Lead-in Cable | 50-2 | 600 | Twisted Pair - PE Outer Jacket |
| PVC | Loop Detector Wire | 51-3 51-1 51-5 | 600 600 600 | Cross-Linked PE Clear Nylon over PVC Same as 51-1, but loosely encased in PVC or PE duct tube |

LINE WIRES, HARD DRAWN COPPER

| Insulation | Spec# | Conductor | Design Features |
|-----------------|--------------|-------------------------------|-----------------|
| Neoprene | 26-2 | Single | RED PVC Jacket |
| PVC | 26-4 | | |
| High Density PE | 26-3 | | |
| | 29-1 29-3 | 2 Conductor Parallel 'C' wire | |

LINE WIRES, COPPER-CLAD STEEL

| Insulation | Spec# | Conductor | Conductivity | Design Features |
|-----------------|--------------|-------------------------------|--------------|-----------------|
| Neoprene | 28-2 | Single | 30 or 40% | RED PVC Jacket |
| PVC | 28-4 | | 30 or 40% | |
| High Density PE | 28-3 | | 30 or 40% | |
| | 29-2 29-4 | 2 Conductor Parallel 'C' wire | 40% 30% | |

FIBER OPTIC CABLE

| | |
|-----------|---|
| REA PE-90 | Singlemode and Multimode Loose Tube Fiber |
|-----------|---|

CONVERSIONS

| | |
|------------------------------|------------------------------|
| 1 Foot = 0.3048 Meters | 1 Meter = 3.281 Feet |
| 1 Km = 3,280.8 Feet | 1 Mile = 1,609.3 Meters |
| Centigrade = (°F - 32) x 5/9 | Fahrenheit = (°C x 9/5) + 32 |

BONDO P606 COVERAGE (1 gallon mixed sealer)

| |
|--|
| 3/8" Width x 1" Depth = 51 Linear Feet |
| 3/8" Width x 1.5" Depth = 35 Linear Feet |

Multicom is the Largest Stocking Distributor of DOT Camera Cable - We will Construct ANY Type of Composite Camera Cable to Your Specifications!

CMYK