

FIBER TAP FT-8P

Product Description

Multilink's Fiber Tap FT-8P is designed around adaptability to the ever changing Outside Plant (OSP) infrastructure. Hardened connectors and robust design withstand the harsh OSP world, while allowing flexibility per application. FT-8P's re-enterable design allows for custom field installations of customer input fiber.

Patent in Process

General Specifications

| | |
|----------------------|--|
| Dimensions: | 4.37" H x 5.88" W x 16.61" L |
| Weight: | 3.1 lbs. (without incoming fiber) |
| Input Ports: | (4) Multilink Surelight SC simplex or LC duplex, or (4) MTP [®] |
| Output Ports: | (8) Multilink Surelight SC simplex or LC duplex |
| Bulkhead: | Holds up to (6) SC Duplex or LC Quad adapters |
| Material: | UV Stabilized Plastic |
| Mounting: | Integrated Pole and Wall |

Ordering Information

| <u>Stock ID</u> | <u>Description</u> |
|-----------------|--|
| Custom | Fiber Tap FT-8P |
| 072-391-30 | Tap Bracket Kit - Pedestal or Aerial Mount |



Features & Benefits

- O-Ring Sealed design
- Re-Enterable
- Angled Output Adapters, for ease of access to ports
- Multilink Surelight Adapters
- Rugged, Hardened output ports
- Output Ports: Up to 8 SC simplex or 8 LC duplex Output Ports
- Input Ports: Up to 4 SC simplex, or 4 LC duplex, or 4 MTP[®]
- Bulkhead for 6 SC Duplex or 6 LC quad adapters
- Decreased installation and maintenance time, equals savings
- Aerial, Pedestal, Wall/Pole installations
- Ordering as configured assembly or by piece parts



FIBER TAP FT-8P

Ordering Guide

