



- Ergonomic and compact and lightweight design can be operated easily and comfortably with either hand.
- Integrated insertion port eliminates the need for a separate insertion tool.
- Tool locking mechanism keeps handle secure during storage
- Patented and efficient selfreleasing dogs facilitate easy, onehanded cable insertion and removal while ensuring 360-degree connector support.

DESCRIPTION

HPT pocket compression tools insert and attach all cable compression connectors used in drop cable applications and are an affordable solution to ensure consistent, precise performance, every time.

APPLICATIONS

The HPT series of pocket tools attach all RCA, BNC, and F-type compression connectors used on RG-6, -59, -11 and mini-coax cables.

SPECIAL FEATURES

Ergonomic and Compact Design:

With a convenient pocketsized design, HPT universal compression tools can be operated easily and comfortably with either hand. A uniquely designed tool body with a wrap-around



comfort grip is made from high strength materials that are surprisingly lightweight.

Continued next page





SPECIAL FEATURES (continued)

Universal Plunger Tips:

The plunger tips on HPT compression tools are truly universal. The tools support all connector types within a class, with no need to recalibrate the plunger throw or change the tip. The



compression throw distance is set at the factory, and a hex lock nut keeps the tool calibrated over long periods of use. Field recalibration, when necessary for out-ofrange connectors, is quick and easy.

Slotted Plunger Tip for RCA Connectors:

The HPT plunger tip is slotted to accommodate RCA-type connectors, facilitating easy connector insertion.

Integrated Insertion Port:

Connector insertion ports molded into the tool for RCA, BNC, and F-connectors eliminate the need for and inconvenience of a separate insertion tool.





360-Degree Connector Support:

Patented dogs provide 360degree connector support, thereby ensuring uniform compression and preventing connector distortion caused by misalignment.



Efficient Self-releasing Dogs:

Cables can be easily inserted and removed from the dogs with one hand, making HPT tools convenient and easy to use while avoiding damage to cables.



Easy-release Handle:

The handle lock keeps the handle secure during storage.







ORDERING INFORMATION

- HPT-6590 is used for RCA, some BNC, and F-type connectors used on RG-6, -59 cables.
- HPT-1100 is used for F-type connectors used on RG-7 & 11 cables
- HPT-BNC is used for RCA and BNC connectors.

Abbreviations used for HPT ordering information:

4

- **ICC** International Connectors and Cable
- **PPC** Production Products Company
- PCT Phoenix Communications Technology
- **SNS** Thomas & Betts Snap-N-Seal

		68	6.0	10.5
Manufacturer	Connector Type	HPT-6590	HPT-1100	HPT-BNC
Cablecon CX3	CX3 6 & 59			
Cablecon CX3	CX3 BNC			•
Corning Cablecon	CX3 6 & 59 (F)			
Corning Cablecon	CX3 7 & 11 (F)			
Corning Gilbert	GAS320QRP			
Corning Gilber	Ultra Ease [®] 6, 59 & mini (F and RCA)	•		
Corning Gilbert	Ultra Ease [®] 6, 59 & mini (BNC)			
Corning Gilbert	Ultra Ease [®] 7 & 11 (F)			
Corning Gilbert	Ultra Range [®] 6 & 59 (F)			
Digicon®	DS 6, 59 & mini (F and RCA)	•		
Digicon®	DS 6, 59 & mini (BNC)			
Digicon®	DS 7 & 11 (F)			
F-conn	FS 6, 59 & mini (F and RCA)			
F-conn	FS 6, 59 & mini (BNC)			•
F-conn	FS 7 & 11 (F)			
Holland Electronics	Superlok SLC [®] 6, 59 and mini (F and RCA)	•		
Holland Electronics	Superlok SLC [®] 6, 59 and mini (BNC)			
Holland Electronics	Superlok SLC® 11 (F)			

Continued next page



ORDERING INFO	RMATION (continued)		Co. Star	Contraction of the second
Manufacturer	Connector Type	HPT-6590	HPT-1100	HPT-BNC
Ideal	OmniCONN 6 & 59 (F and RCA)			
Ideal	Uniseal® 6 & 59 (F)	•		
Liberty	ConnecTec 6 & 59 (F and RCA)			
Liberty	ConnecTec 6 & 59 (BNC)			•
Paladin	Seal Tight® 6 & 59 (F and RCA)			
Paladin	Seal Tight [®] 6 & 59 (BNC)			•
Phoenix (PCT)	DRS 6 & 59 (F and RCA)			
Phoenix (PCT)	Mini 59 (F)	•		
Phoenix (PCT)	DRS 6 & 59 (BNC)			•
Phoenix (PCT)	DRS 7 & 11 (F)			
Phoenix (PCT)	TRS 6 & 59 (F)			
Phoenix (PCT)	TRS 7 & 11 (F)			
PPC	CMP Mini 59 (F)			
PPC	CMP 6 & 59 (RCA)	•		
РРС	CMP 6 & 59 (BNC)			
PPC	CMP EXXL and EXXLWS 6 & 59 (F)	•		
РРС	EX 6 & 59 (F)			
РРС	EX 6 & 59 (BNC)			•
PPC	EX 7 & 11 (F)			
РРС	EX 320QR			
Steren	Perma Seal II $^{\circ}$ 6, 59 and mini (F and RCA)			
Steren	Perma Seal II [®] 6, 59 and mini (BNC)			•
Steren	Perma Seal II [®] 7 & 11 (F)			

Continued next page



ORDERING INFO	PRMATION (continued)	Contraction of the second seco	C. S.	Carlos and
Manufacturer	Connector Type	HPT-6590	HPT-1100	HPT-BNC
Stirling	6 & 59 (F)			
Stirling	7 & 11 (F)			
Stirling	SPL 6 (RCA)			
Stirling	SPL 6 (BNC)			•
Stirling	SPL 11 (F)			
Belden	Snap-N-Seal® (SNS) 6, 59 and mini (F and RCA)	•		
Belden	Snap-N-Seal [®] (SNS) 6, 59 and mini (BNC)			

SPECIFICATIONS

HPT Tool Part Number	Color	Dimension (Inches)	Weight (Pounds)	Weight (Kilograms)
HPT-6590	Yellow	6.75	.50	.22
HPT-1100	Blue	7.25	.50	.22
HPT-BNC	Red	7.25	.50	.22

 $\ensuremath{\mathbb{C}}$ 2015 Ben Hughes Communication Products Company. All rights reserved.

Cable Prep brand products and tools are covered under one or more of the following patents: U.S. Pat. Nos.: 5,561,903; 5,647,119; 5,749,270 and other patents pending.

Cable Prep, the Cable Prep logo, Tools You Trust, and the Cable Prep Tools You Trust logo are registered and common law trademarks of Ben Hughes Communication Products Company. All other trademarks are the property of their respective owners.

Published May, 2015